

Cards shuffling

[English](#)

[Tiếng Việt](#)

"Phú ông" has a card deck consists of n cards. He writes on each card a number from 1 to n from the top to the bottom of the deck.

Then he does shuffle the card deck several times, each time is described by $S(i, j)$ meaning: pull out the i^{th} card then put it on the j^{th} of the remaining cards ($1 \leq i, j \leq n$). If $j = n$, the i^{th} card will be the bottom card of the new one.

For example ($n=6$):

$$(1, \boxed{2}, 3, 4, 5, 6) \xrightarrow{S(2,3)} (1, 3, \boxed{2}, 4, 5, 6)$$

$$(\boxed{1}, 3, 2, 4, 5, 6) \xrightarrow{S(1,2)} (3, \boxed{1}, 2, 4, 5, 6)$$

$$(3, 1, 2, \boxed{4}, 5, 6) \xrightarrow{S(4,5)} (3, 1, 2, 5, \boxed{4}, 6)$$

$$(\boxed{3}, 1, 2, 5, 4, 6) \xrightarrow{S(1,6)} (1, 2, 5, 4, 6, \boxed{3})$$

Afer x times of shuffling, "Phú ông" gives "Bờm" the card deck and chanllenges him to make it into the original order. Please help "Bờm"!

Input

- The first line contains two integer n, x .
- Next x line(s), the p^{th} line contains two integer i_p, j_p describing the p^{th} time of shuffling ($S(i_p, j_p)$).

Output

- A single integer means the minimal number of times of shuffling the card deck to help "Bờm".

Example

Input:

```
6 4
2 3
1 2
4 5
1 6
```

Output:

```
2
```

Limitations

- $1 \leq n, x \leq 10^5$.