

# Cruise

## Task

JOI country consists of  $n$  islands which are numbered from 1 to  $n$ . The country is now developing the ship network between these islands.

You are working at a ticket center of these ships. Many people think of making a trip to another island as cheap as possible. They write the islands of departure and destinations of their trip in the order forms and send them to you.

Your task is answering to the query from the clients, by calculating the lowest possible cost to reach

their destination from their departure island by using the ships. In some case that the trip by the ships is

impossible, you must tell it to your client. Moreover, in this country, many ship lines are beginning one

after another, and you are passed on the information about new ships at any time. So you must check

the latest information carefully to answer to your clients.

You are given a list of the order forms from clients and information of new ships, sorted by time.

Write a program that calculates the answer to your clients.

## Input

The format of each input file is as follows.

Line 1 consists of 2 space-separated integers: the number  $n$  ( $1$

$n$  100) of islands, and the number  $k$  ( $1 \leq k \leq 5000$ ) of following lines in the input (input consists of  $k + 1$  lines).

Line  $i + 1$  ( $1 \leq i \leq k$ ) consists of 3 or 4 space-separated integers:

- If the first number is 0, the line represents a order form. The line consists of 3 integers 0,  $a$ ,  $b$  ( $1 \leq a \leq n$ ,  $1 \leq b \leq n$ ,  $a \neq b$ ). This means that a client has sent the order form of a trip from island  $a$  to island  $b$ .

- If the first number is 1, the line represents a new ship. The line consists of 4 integers 1,  $c$ ,  $d$ ,  $e$  ( $1 \leq c \leq n$ ,  $1 \leq d \leq n$ ,  $c \neq d$ ,  $1 \leq e \leq 1000000$ ). This means that a new ship line connecting island  $c$  and  $d$  has begun, and the fare of  $c$  to  $d$  and  $d$  to  $c$  are both  $e$ . For the queries in the rest of the input, this ship also must be taken in consideration.

In the beginning, no ship is running. In the input, the number of lines representing information of new ship is not more than 1000. There may be two or more ships between the same pair of islands.

## Output

The format of each output file to submit is as follows. The file consists of  $m$  lines. Line  $i$  ( $1 \leq i \leq m$ ) should contain one integer representing the answer to  $i$ -th order form. This means, if the trip in  $i$ -th order form is possible by some ships, write the minimum possible value of total fare, and other wise,

write -1.

## Example

### Input:

5 16  
1 1 2 343750  
1 1 3 3343  
1 1 4 347392  
1 1 5 5497  
1 2 3 123394  
1 2 4 545492  
1 2 5 458  
1 3 4 343983  
1 3 5 843468  
1 4 5 15934  
0 2 1  
0 4 1  
0 3 2  
0 4 2  
0 4 3  
0 5 3

### Output:

5955  
21431  
9298  
16392  
24774  
8840